



PRODUCT CATALOG 23-24







STAY CONNECTED & PROTECTED

The FREE Norsk Lithium Guardian™ App provides a Bluetooth Connection to Norsk Lithium Marine Batteries to monitor important performance metrics and alert you to critical battery health info.

- Connects to Your Smartphone via Bluetooth Connection
- Monitor Battery's Health & Charging Status
- Setup Alert Notifications for Selected Battery Info
- Provides Peace of Mind to the Norsk Lithium Marine Battery Owner









APP FEATURES



MONITOR CHARGING STATUS



CUSTOM NAMING OF BATTERIES & GROUPS



PROACTIVE DIAGNOSTICS & WARRANTY



INTELLIGENT BATTERY GROUPING



MONITOR BATTERY HEALTH



SETUP & RECEIVE CUSTOM NOTIFICATIONS



MONITOR MULTIPLE BATTERIES SIMULTANEOUSLY



INTEGRATED TROUBLESHOOTING GUIDE



STARTING + HOUSE BATTERIES

LiFePO4 1200 CCA



THE CLEAR CHOICE FOR MERCURY® MOTORS

Norsk Lithium™ Marine Starting batteries have been evaluated and found to meet, and in most cases significantly exceed, all performance requirements for lithium starting batteries outlined in the Mercury® Marine Performance Bulletin 2022-19R1 released November, 2022.

Power up your adventures with the Norsk Lithium Starting + House Battery - the ultimate 2-in-1 battery solution. Featuring 1200 CCA, to effortlessly start your motor, while a 180Ah reserve capacity keeps your electronics running strong all day long.





12V 180AH 1200 CCA

LiFePO4 STARTING+HOUSE

BATTERY TYPE: Lithium Ion Phosphate (LiFePo4)

CAPACITY: 180AH NOMINAL VOLTAGE: 12V

🚯 Bluetooth™& Guardian™ Equipped

WEIGHT: 57 lbs

SIZE: 19 X 11 X 8.2 inches **LIFESPAN:** 4,000+ Cycles, 15-20 years **WARRANTY:** 10 Year + Norsk Guardian[™]

PART NO: 23-200



12V 180AH 1200 CCA

LiFePO4 STARTING+HOUSE

BATTERY TYPE: Lithium Ion Phosphate (LiFePo4)

CAPACITY: 180AH NOMINAL VOLTAGE: 12V WEIGHT: 57 lbs

SIZE: 19 X 11 X 8.2 inches LIFESPAN: 4,000+ Cycles, 15-20 years WARRANTY: 10 Year + Norsk Guardian™



THERMAL CORE

Გ Bluetooth™& Guardian™ Equipped

PART NO: 23-200H



STANDARD BATTERIES

LiFePO4 DEEP-CYCLE





12V 80AH

LiFePO4 DEEP-CYCLE

BATTERY TYPE: Lithium Ion Phosphate (LiFePo4)

CAPACITY: 80AH NOMINAL VOLTAGE: 12V

Bluetooth™& Guardian™ Equipped

WEIGHT: 25.5 lbs

SIZE: 12 x 6.8 x 8.2 inches (Group 27) **LIFESPAN:** 4,000+ Cycles, 15-20 years **WARRANTY:** 10 Year + Norsk Guardian™

PART NO: 23-080



12V 80AH

LiFePO4 DEEP-CYCLE

BATTERY TYPE: Lithium Ion Phosphate (LiFePo4)

CAPACITY: 100AH **NOMINAL VOLTAGE:** 12V

Bluetooth™& Guardian™ Equipped



THERMAL CORE HEATING TECHNOLOGY

WEIGHT: 25.5 lbs

SIZE: 12 x 6.8 x 8.2 inches (Group 27) **LIFESPAN:** 4,000+ Cycles, 15-20 years **WARRANTY:** 10 Year + Norsk Guardian™

PART NO: 23-080H



12V 100AH

LiFePO4 DEEP-CYCLE

BATTERY TYPE: Lithium Ion Phosphate (LiFePo4)

CAPACITY: 100AH NOMINAL VOLTAGE: 12V

🚷 Bluetooth™& Guardian™ Equipped

WEIGHT: 25.5 lbs

SIZE: 12 x 6.8 x 8.2 inches (Group 27) **LIFESPAN:** 4,000+ Cycles, 15-20 years **WARRANTY:** 10 Year + Norsk Guardian™

PART NO: 23-100



12V 100AH

LiFePO4 DEEP-CYCLE

BATTERY TYPE: Lithium Ion Phosphate (LiFePo4)

CAPACITY: 100AH **NOMINAL VOLTAGE:** 12V

Bluetooth™& Guardian™ Equipped



THERMAL CORE

WEIGHT: 25.5 lbs

 SIZE:
 12 x 6.8 x 8.2 inches (Group 27)

 LIFESPAN:
 4,000+ Cycles, 15-20 years

 WARRANTY:
 10 Year + Norsk Guardian™

PART NO: 23-100H

COLD WEATHER CHARGING MADE EASY!



THERMAL CORE MEATING TECHNOLOGY

Our proprietary Thermal-Core Heating Technology™ measures the heat inside the battery and reroutes the charging current to heat the battery's internal temperature, allowing for safe charging in seasonal cold weather. This innovative technology ensures that your battery is always ready to perform when you need it most.

This is a critical feature for anglers who enjoy taking advantage of spring & fall fishing bites in northern climates.

- **BMS MEASURES INTERNAL TEMPERATURE**
- REDIRECTS CURRENT TO HEAT THE BATTERY'S CORE
- BMS HEATS CORE UNTIL THE INTERNAL TEMP. REACHES 40° F
- BMS TRANSFERS INCOMING CURRENT TO SAFELY CHARGE THE BATTERY















LITHIUM—III—

TROLLING MOTOR

LIFEPO4 DEEP-CYCLE BATTERIES





24V 50AH

LiFePO4 DEEP-CYCLE

BATTERY TYPE: Lithium Ion Phosphate (LiFePo4)

CAPACITY: 50AH NOMINAL VOLTAGE: 24V

₿ Bluetooth™& Guardian™ Equipped

WEIGHT: 25 lbs

SIZE: 12 x 6.8 x 8.2 inches (Group 27) **LIFESPAN:** 4,000+ Cycles, 15-20 years **WARRANTY:** 10 Year + Norsk Guardian™

PART NO: 23-245



24V 50AH

LiFePO4 DEEP-CYCLE

BATTERY TYPE: Lithium Ion Phosphate (LiFePo4)

CAPACITY: 50AH NOMINAL VOLTAGE: 24V

Bluetooth™& Guardian™ Equipped



THERMAL CORE
HEATING TECHNOLOGY

WEIGHT: 25 lbs

SIZE: 12 x 6.8 x 8.2 inches (Group 27) **LIFESPAN:** 4,000+ Cycles, 15-20 years **WARRANTY:** 10 Year + Norsk Guardian™

PART NO: 23-245H



36V 60AH

LiFePO4 DEEP-CYCLE

BATTERY TYPE: Lithium Ion Phosphate (LiFePo4)

CAPACITY: 60AH NOMINAL VOLTAGE: 36V

Bluetooth™& Guardian™ Equipped

WEIGHT: 57 lbs

SIZE: 19 X 11 X 8.2 inches **LIFESPAN:** 4,000+ Cycles, 15-20 years **WARRANTY:** 10 Year + Norsk Guardian[™]

PART NO: 23-360



36V 60AH

LiFePO4 DEEP-CYCLE

BATTERY TYPE: Lithium Ion Phosphate (LiFePo4)

CAPACITY: 60AH NOMINAL VOLTAGE: 36V

In the State of the State of



THERMAL CORE

WEIGHT: 57 lbs

SIZE: 19 X 11 X 8.2 inches **LIFESPAN:** 4,000+ Cycles, 15-20 years **WARRANTY:** 10 Year + Norsk Guardian[™]

PART NO: 23-360H

LITHIUM

KAYAK BATTERIES

LIFEPO4 DEEP-CYCLE & LITHIUM-ION





12V 50AH

LiFePO4 DEEP-CYCLE

BATTERY TYPE: Lithium Ion Phosphate (LiFePo4)

CAPACITY: 50AH **NOMINAL VOLTAGE:** 12V

Bluetooth™& Guardian™ Equipped

WEIGHT: 13.7 lbs

SIZE: 7.8 X 5.3 X 7.8 inches **LIFESPAN:** 4,000+ Cycles, 15-20 years **WARRANTY:** 10 Year + Norsk Guardian™

PART NO: 23-125



12V 50AH

LiFePO4 DEEP-CYCLE

BATTERY TYPE: Lithium Ion Phosphate (LiFePo4)

CAPACITY: 50AH NOMINAL VOLTAGE: 12V

₿ Bluetooth™& Guardian™ Equipped



THERMAL CORE

WEIGHT: 13.7 lbs

SIZE: 7.8 X 5.3 X 7.8 inches **LIFESPAN:** 4,000+ Cycles, 15-20 years **WARRANTY:** 10 Year + Norsk Guardian™

PART NO: 23-125H



14.8V 15AH

LITHIUM-ION BATTERY

BATTERY TYPE: Lithium Ion CAPACITY: 15AH NOMINAL VOLTAGE: 14.8V

BUILT-IN USB PORTS & BATTERY METER

WEIGHT: 3.5 lbs

SIZE: 5.94 X 2.56 X 3.66 inches **LIFESPAN:** 2,000+ Cycles, 10-15 years

INCLUDES: 3A 16.8V Charger

PART NO: 23-150C



14.8V 20AH

LITHIUM-ION BATTERY

BATTERY TYPE: Lithium Ion **CAPACITY:** 20AH **NOMINAL VOLTAGE:** 14.8V

BUILT-IN USB PORTS & BATTERY METER

WEIGHT: 4.2 lbs

SIZE: 5.94 X 3.85 X 3.70 inches **LIFESPAN:** 2,000+ Cycles, 10-15 years

INCLUDES: 3A 16.8V Charger

PART NO: 14-208C



14.8V 32AH

LITHIUM-ION BATTERY

BATTERY TYPE: Lithium Ion CAPACITY: 32AH NOMINAL VOLTAGE: 14.8V

BUILT-IN USB PORTS & BATTERY METER

WEIGHT: 4.85 lbs

SIZE: 5.94 X 3.85 X 3.70 inches **LIFESPAN:** 2,000+ Cycles, 10-15 years

INCLUDES: 3A 16.8V Charger

PART NO: 14-320C



THE NORSK ADVANTAGE FOR THE ICE FISHERMAN

Superior performance, compact size, and efficient weight make Norsk LithiumTM the ideal battery to power your ice fishing equipment.

All Norsk Lithium-Ion ice fishing batteries feature dual USB ports for charging your accessories and a built-in battery meter for checking your status with a push of a button.

Whether you are powering a fish finder or simply need to charge your cell phone – Norsk has you covered!







BUILT-IN DUAL USB PORTS BUILT-IN BATTERY METER



DESIGNED FOR USE WITH LIVE IMAGING OR 360 SONAR

SYSTEMS

The Norsk Lithium 14.8V batteries are engineered to meet the demand for high-power draw digital units with larger displays and optimized for all-day performance. This is the perfect Lithium battery for Humminbird MEGA Live Imaging™, Garmin Livescope™ or Lowrance ActiveTarget™.

- HIGH-POWER DRAW DIGITAL UNITS
- DIGITAL UNITS WITH LARGER DISPLAYS
- ALL-DAY PERFORMANCE

LITHIUM—III—

ICE FISHING BATTERIES

LITHIUM-ION





11.1 V 7.5AH

LITHIUM-ION BATTERY

BATTERY TYPE: Lithium-lon CAPACITY: 7.5AH NOMINAL VOLTAGE: 11.1V

BUILT-IN USB PORTS & BATTERY METER

WEIGHT: 1.3 lbs

SIZE: 5.94 X 2.56 X 3.66 inches

LIFESPAN: 1000+ Cycles

INCLUDES: 2A 12.6V Standard Charger

PART NO: 20-110C



11.1 V 15AH

LITHIUM-ION BATTERY

BATTERY TYPE: Lithium-lon CAPACITY: 15AH NOMINAL VOLTAGE: 11.1V

BUILT-IN USB PORTS & BATTERY METER

WEIGHT: 2.6 lbs

SIZE: 5.94 X 2.56 X 3.66 inches

LIFESPAN: 1000+ Cycles

INCLUDES: 2A 12.6V Standard Charger

PART NO: 20-115C



14.8V 15AH

LITHIUM-ION BATTERY

BATTERY TYPE: Lithium Ion **CAPACITY:** 15AH **NOMINAL VOLTAGE:** 14.8V

BUILT-IN USB PORTS & BATTERY METER

WEIGHT: 3.5 lbs

SIZE: 5.94 X 2.56 X 3.66 inches **LIFESPAN:** 2,000+ Cycles, 10-15 years

INCLUDES: 3A 16.8V Charger

PART NO: 23-150C



14.8V 20AH

LITHIUM-ION BATTERY

BATTERY TYPE: Lithium Ion **CAPACITY:** 20AH **NOMINAL VOLTAGE:** 14.8V

BUILT-IN USB PORTS & BATTERY METER

WEIGHT: 4.2 lbs

SIZE: 5.94 X 3.85 X 3.70 inches **LIFESPAN:** 2,000+ Cycles, 10-15 years

INCLUDES: 3A 16.8V Charger

PART NO: 14-208C



14.8V 32AH

LITHIUM-ION BATTERY

BATTERY TYPE: Lithium Ion CAPACITY: 32AH NOMINAL VOLTAGE: 14.8V

BUILT-IN USB PORTS & BATTERY METER

WEIGHT: 4.85 lbs

SIZE: 5.94 X 3.85 X 3.70 inches **LIFESPAN:** 2,000+ Cycles, 10-15 years

INCLUDES: 3A 16.8V Charger

PART NO: 14-320C



USB ACCESSORIES

FOR BATTERIES WITH USB PORTS





USB LED ROPE LIGHT

BRIGHTNESS: 800 Lumens ROPE LENGTH: 6.5FT COLOR TEMP: White LIFETIME: 10,000+ HRS
WORKING TEMP: -20 to +40 °F
IP RATING: IP65 (waterproof)

PART NO: 00-600



USB LED LIGHT BULB

BRIGHTNESS: 1100 Lumens

LENGTH: 6 FT

COLOR TEMP: Adjustable: 2,700-6,500K

RATE POWER: 5-10W INPUT VOLTAGE: DC5V

PART NO: 00-200



USB BAIT AERATOR

FEATURES:

- Ultra-Quiet
- Super Efficient
- Cold-Weather Design

INCLUDES:

- Air Tube
- Aerator Stone
- Carabiner Clip

PART NO: 00-400



2A 12.6V STANDARD CHARGER

COMPATIBILITY: 11.1V Norsk Lithium-ion Batteries **FEATURES:** Charging block with an LED light that turns green when charging is complete.

PART NO: 21-300

CHARGERS

LiFePO4 & LITHIUM-ION





24V 15A ON-BOARD CHARGER

COMPATIBILITY: 24V Norsk LiFePO4 Batteries

OUTPUT VOLTAGE: 29.2V **OUTPUT CURRENT:** 15A

WEIGHT: 3.7 lbs

SIZE: 7.75 x 4.75 x 4 inches **PART NO:** 21-2415



36V 10A ON-BOARD CHARGER

COMPATIBILITY: 36V Norsk LiFePO4 Batteries

OUTPUT VOLTAGE: 43.8V OUTPUT CURRENT: 10A WEIGHT: 3.7 lbs

SIZE: 7.75 x 4.75 x 4 inches **PART NO:** 21-3610



7A 12.6V RAPID CHARGER

COMPATIBILITY: 11.1V Norsk Lithium-ion Batteries **FEATURES:** Charging block with an LED light that turns green when charging is complete.

PART NO: 21-500



7A 16.8V RAPID CHARGER

COMPATIBILITY: 14.8V Norsk Lithium-ion Batteries **FEATURES:** Charging block with an LED light that turns green when charging is complete.

3A 16.8V STANDARD CHARGER

COMPATIBILITY: 14.8V Norsk Lithium-ion Batteries **FEATURES:** Charging block with an LED light that turns green when charging is complete.

PART NO: 21-400

PART NO: 21-600



WWW.NORSKLITHIUM.COM sales@norskithium.com

612 • 400 • 3477